

	Buna (Nitrile)	EPDM (Ethylene Propylene)	Viton (Flouroelastomer)
Color	Black	Red	Green
Compression Set	Good	Good to Excellent	Fair
Temperature Minimum	0°F	-40°F	10°F
Chemical Compatibility*	Not resistant to ozone or strong acids.	Not resistant to petroleum fluids.	Not for use with hot water.